



Volvo Construction Equipment

HYDRAULIC BREAKERS

VOLVO ATTACHMENTS



Quality counts.

Low Noise

Fully-sealed, sound-suppressed housing with no metal-to-metal contact so there is less vibration of parts, resulting in substantially less noise and operator and machine fatigue. Volvo breakers can keep working in urban settings where noise levels are strictly regulated and monitored.

Simple Design

30% fewer parts than competitive breakers for faster servicing and higher uptime. Lower bushings can be replaced in the field instead of the shop, with an average 600-hour interval between changes.

Auto Lubrication System

Utilizes the breaker's built-in grease channel and ensures the breaker gets fresh grease at assigned intervals without the need for manual lubing.


System is visible at eye level from the cab.

Financing

Volvo Financial Services makes buying a Volvo breaker easy and affordable. Apply and get approval through your local Volvo dealer with a range of payment options to suit your situation.

Vibration Dampened Tie Rod (VIDAT) System*

The latest in tie rod technology for better reliability and extended breaker life. The slender design is significantly stronger and less prone to vibration and loosening for longer service intervals and reduced maintenance.



High Pressure Accumulator

Integrated two-membrane accumulator extends breaker life by dampening pressure spikes to protect the hydraulic system. Power impact is increased by recycling the piston's energy back to the accumulator for more stable breaking with less fuel consumption.

* Heavy construction equipment breakers only

Versatility

With a range of breakers for all Volvo products, quick and easy change out system and compatibility with competitor machines, Volvo breakers are the top choice to add to your owned or rental fleet.

It's a Volvo

Volvo breakers are backed by the reliability and support of the Volvo name and dealer network. Breakers and carriers are sold and serviced through your local Volvo dealer and come with a solid manufacturer warranty.

High Blow Frequency

Volvo breakers have up to 25% higher blow frequency than other brands, averaging 2600 blows per minute. The patented Constant Blow Energy (CBE) principle keeps energy at a consistently high level independent of the carrier oil supply so each blow has the same power.

		HB200+	HB300+	HB450+	HB1100+	HB1400+	HB1700+	HB2400+	HB3200+
Backhoe Loaders	BL60B			•					
	BL70B			•					
Compact Excavators	ECR25D	•							
	ECR28	•							
	EC35C	•	•						
	ECR38	•	•						
	EC55C		•						
	ECR58D		•						
	ECR88D			•					
	EC140D				•				
Crawler Excavators	ECR145D				•				
	EC160D				•				
	EC220D					•	•		
	ECR235D					•	•		
	EC250E					•	•		
	EC300E					•	•		
	ECR305C						•	•	
	EC350E							•	•
	EC380E							•	•
EC480E							•	•	
Wheeled Excavators	EW160D				•				
	EW180D				•	•			
	EW210D					•	•		
Skid Steer Loaders	MC60C		•						
	MC70C		•	•					
	MC85C		•	•					
	MC95C		•	•					
	MC110C		•	•					
	MC115C			•					
Compact Track Loaders	MC135C			•					
	MCT85C			•					
	MCT110C		•	•					
	MCT125C			•					
	MCT135C			•					



VOLVO

Volvo Construction Equipment
volvoce.com/na