


VOLVO BM 4200






The Volvo BM 4200 — the materials handling specialist

The Volvo BM 4200 has been designed and developed to meet your need for a small articulated service loader. It weighs 5.7 metric tons (12,570 lbs) and has a 51 kW (70 hp) SAE engine. Wherever work duties vary and demands on quick and efficient materials handling are high, the Volvo BM 4200 is in its element. The range of attachments include some 70 different units from which to select the right attachment for maximum productivity. The loader unit gives you good lifting height and reach with an excellent parallel side-arm action. This, combined with a small turning radius, provides manoeuvrability and optimum performance on confined worksites. Comfort in a class of its own. The operator works in a spacious cab with good ventilation and a very low noise level. Levers and controls are conveniently located and easy to operate with clear identification. Its low weight and well balanced combination of transmission and engine contributes to the 4200's low operating costs. Wherever you have to alternate between different jobs, and wherever you want speed and capacity, that's where you need the Volvo BM 4200 — the materials handling specialist.






A GOOD W



The cab is your workplace. You should be comfortable and be able to work safely and efficiently, regardless of the outside weather conditions. The Volvo cab on the 4200 is built to give you optimum comfort with easy-to-operate functions. The seat, levers, controls and instruments have been thoroughly tested and carefully planned and positioned.

Large windows provide good all-round visibility. And as far as safety is concerned, it's reassuring to know that the cab is constructed of heavy steel members and that it is ROPS tested and approved.

ORKPLACE




A good operator's environment is the product of many well-coordinated details that have been studied and tested.

- Clear, see-at-a-glance instrumentation.
- Matt black non-glare loader unit with a minimum obstruction of visibility.
- Sprung, shock-absorbed operator's seat with a wide range of adjustments.
- Easy-to-shift gears – all on same lever.
- Excellent heating and ventilation system with filtered fresh air.



LOADER UNIT




The loader unit is a crucial factor in determining the capacity of a loader. When widely varying tasks are performed, it is of the utmost importance that high performance be achieved at each task. The 4200 has a superb loader unit with the following advantages:

- long reach • high lifting height • high point of attachment (side-arms horizontal during loading of truck) • good breakout forces • parallel side-arm action • "open construction" for good visibility.



30 SECONDS



30 seconds — that's all the time it takes to change attachments and jobs with the 4200. The hydraulic attachment bracket is a wide, rugged construction, making it easy to guide on to the attachment. This saves time — no delays. It also makes the 4200 a specialist at most jobs.

You can choose the right combination of attachments for your particular needs from a range of about 70 different units. The 4200 gives you a superb general-service loader where fast, high-volume handling is required.



ALLROUND



The 4200 has a wide range of applications. It is ideal for municipal work, building construction, manufacturing, contracting, agriculture, sawmills, paper mills, harbours, gravel pits, mines, etc. The 4200 need never stand idle – a change of attachments is all that is needed for it to switch jobs, as needed.

- Flexible and manoeuvrable
- Easy-to-operate articulated steering
- Excellent lift-height and reach
- 4-wheel drive
- Automatic tilting and lifting
- Low external noise level



PRECISE



It's easy to work with the 4200 on difficult terrain. It has 4-wheel drive and low ground pressure. You can choose between two tilt speeds. The low speed is for precision work and difficult lifts. The loader unit works safely and surely, with high breakout force over its entire lifting range. The 4200 is a flexible machine, ideal for efficient working on a variety of construction site duties.



FAST



The Volvo 4200 has a well-designed loader unit with long reach, a smooth underside, parallel side-arm action and high side-arm attachment points. This means you can load wide vehicles from one side with short work cycles. Its precision and parallel side-arm action is ideal for handling fragile and palletized goods. The power-shift gearbox and articulated steering make it easy to position the load exactly where you want it.



NIMBLE



At stockyards, in warehouses and in harbours, the 4200 makes optimum use of available space. It's agility and manoeuvrability produces optimum efficiency. It is a compact machine giving you a good view to both front and rear. The 4200's good lifting height and generous reach enable you to work at high stacks. There is also a wide variety of attachments to choose from, each specially designed for efficient materials handling.





The Volvo BM 4200 is a versatile allrounder from the range of new generation Volvo BM loaders. It is a materials handling specialist, performing diverse tasks efficiently and economically.

VOLVO BM
VOLVO BM AB ESKILSTUNA SWEDEN

Ref.No. 21 1 669 1485
ENGELSKA

Production group for basic printed matter Volvo BM