



SD Series



Moving The World Forward



IR Ingersoll

IR



nd



SD-122DX
TF SERIES

TF Series

SD-25D/SD-25F
 SD-45D/SD-45F
 SD-70D/SD-77DX/SD-77F
 SD-100D/SD-105DX/SD-105F
 SD-116DX/SD-116F
 SD-122D/SD-122DX/SD-122F
 SD-160DX/SD-160F
 SD-200DX/SD-200F

1.25 m

1.59 m

1.88 m

2.29 m

2.29 m

2.29 m

2.49 m

2.49 m

SD-25D/SD-25F
 SD-45D/SD-45F
 SD-70D/SD-77DX/SD-77F
 SD-100D/SD-105DX/SD-105F
 SD-116DX/SD-116F
 SD-122D/SD-122DX/SD-122F
 SD-160DX/SD-160F
 SD-200DX/SD-200F

1.07 m

1.37 m

1.68 m

2.13 m

2.13 m

2.13 m


2.13 m

2.13 m


SD-25D/SD-25F 3.18 m
 SD-45D/SD-45F 4.05 m
 SD-70D/SD-77DX/SD-77F 5.04 m
 SD-100D/SD-105DX/SD-105F 5.90 m
 SD-116D/SD-116F 5.90 m
 SD-122D/SD-122DX/SD-122F 5.90 m
 SD-160DX/SD-160F 5.99 m
 SD-200DX/SD-200F 6.28 m

SD-25D 0.79 m
 SD-25F 0.91 m
 SD-45D 1.00 m
 SD-45F 1.15 m
 SD-70D/SD-77DX 1.22 m
 SD-77F 1.37 m
 SD-100D/SD-105DX 1.50 m
 SD-105F 1.70 m

SD-116DX 1.50 m
 SD-116F 1.55 m
 SD-122D/SD-122DX 1.50 m
 SD-122F 1.75 m
 SD-160DX 1.60 m
 SD-160F 1.75 m
 SD-200DX 1.65 m
 SD-200F 1.88 m



SD-25D	2.56 t	SD-100D	10.63 t	SD-122DX	12.29 t
SD-25F	2.69 t	SD-105DX	10.91 t	SD-122F	13.06 t
SD-45D	4.81 t	SD-105F	11.67 t	SD-160DX	16.17 t
SD-45F	5.15 t	SD-116DX	11.25 t	SD-160F	16.71 t
SD-70D	7.37 t	SD-116F	11.56 t	SD-200DX	20.61 t
SD-77DX	7.69 t	SD-122D	12.18 t	SD-200F	20.39 t
SD-77F	8.34 t				



SD-25D/SD-25F
KUBOTA V2203-M
32.8kW 44hp

SD-45D/SD-45F
CUMMINS 4BT 3.3
59.7kW 80hp

SD-70D/SD-77DX/SD-77F
CUMMINS 4BT 3.9C
70.8kW 95hp

SD-100D/SD-105DX/SD-105F
CUMMINS 4BTA 3.9C
93.2 kW 125 hp

SD-116DX/SD-116F
CUMMINS QSB5.9-30T
115.6 kW 155 hp



SD-122D/SD-122DX/SD-122F
CUMMINS 6BT 5.9C
116.3 kW 156 hp

SD-160DX/SD-160F
CUMMINS 6BTAA 5.9
129kW 173 hp

SD-200DX/SD-200F
CUMMINS QSBTAA 5.9
152.9 kW 205 hp








SD-25D	2.25 m
SD-25F	2.29 m
SD-45D	2.83 m
SD-45F	2.89 m
SD-70D/SD-77DX	2.92 m
SD-77F	2.96 m
SD-100D/SD-105DX	3.09 m
SD-105F	3.15 m
SD-116DX	3.09 m
SD-116F	3.15 m
SD-122D/SD-122DX	3.09 m
SD-122F	3.15 m
SD-160DX	3.12 m
SD-160F	3.18 m
SD-200DX	3.12 m
SD-200F	3.18 m



SD-25D	60%
SD-25F	50%
SD-45D	54%
SD-45F	49%
SD-70D	63%
SD-77DX	70%
SD-77F	70%
SD-100D	55%
SD-105DX	62%
SD-105F	60%
SD-116DX	84%
SD-116F	77%
SD-122D	68%
SD-122DX	75%
SD-122F	71%
SD-160DX	65%
SD-160F	55%
SD-200DX	59%
SD-200F	49%





								
	Kg	Kg / cm	Hz	kN	mm	Ø mm	t mm	
SD-25D	1289	1270	12.1 / -	36.7	55.6	1.57	787	16
SD-25F	1415	1270	- / -	36.7	55.6	1.32	787/914	16
SD-45D	2449	2358	17.85 / -	32	99	1.98	1000	20
SD-45F	2789	2358	- / -	32	99	1.71	1000 / 1153	20
SD-70D	3756	3614	22.41 / -	30.8 / 33.8	143 / 103	1.98 / 1.20	1219	22
SD-77DX	4028	3659	24.03 / -	20.4 - 33.8	143 / 103	1.98 / 1.20	1219	22
SD-77F	4676	3659	- / -	20.4 - 33.8	133 / 133	1.98 / 1.33	1219 / 1372	22
SD-100D	6340	4294	29.70 / -	30.8 / 33.8	258 / 206	1.92 / 1.29	1499	25
SD-105DX	6567	4340	30.77 / -	20.4 - 33.8	258 / 206	1.98 / 1.29	1499	25
SD-105F	7329	4340	- / -	20.4 - 33.8	270 / 262	2.04 / 1.33	1499 / 1702	25
SD-116DX	6363	4884	29.82 / -	20.0 - 34.0	267 / 213	1.92 / 1.29	1499	25
SD-116F	6680	4884	- / -	20.0 - 34.0	271 / 264	2.21 / 1.44	1295 / 1549	25
SD-122D	7021	5156	32.90 / -	30.8 / 33.8	281 / 206	1.90 / 1.17	1499	30
SD-122DX	7009	5281	32.84 / -	20.4 - 33.8	281 / 206	1.90 / 1.17	1499	30
SD-122F	7780	5281	- / -	20.4 - 33.8	293 / 284	2.03 / 1.31	1499 / 1753	30
SD-160DX	11057	5111	51.81 / -	20.4 - 33.8	339 / 264	1.97 / 1.28	1600	35
SD-160F	11601	5111	- / -	20.8 - 27.5	339 / 257	2.21 / 1.68	1499 / 1753	30
SD-200DX	13687	6925	64.14 / -	20.4 - 30.8	368 / 239	1.75 / 1.14	1651	40
SD-200F	13460	6925	- / -	20.8 - 28.3	359 / 273	1.98 / 1.40	1651 / 1875	25

Maschinen können mit Sonderzubehör abgebildet sein. Technische Änderungen vorbehalten.

Machines may be illustrated with extras. Specifications are subject to alteration without prior notice.

Les machines représentées peuvent comporter des équipements optionnels. Sous réserve de modifications techniques.

Las máquinas pueden aparecer representadas con extras opcionales. Nos reservamos el derecho de realizar modificaciones técnicas sin previo aviso.



Experience the power of Ingersoll Rand construction and road building equipment, industry-leading support and service. Whatever your job, Ingersoll Rand has the solution from pavers and compactors, portable air compressors, light towers and generators, earthmoving equipment, material handlers, concrete equipment to attachments. Running a successful business takes more than powerful equipment. That's why Ingersoll Rand partners with an experienced global dealer network to stand beside you every step of the way.

www.ingersollrand.com

ABG Allgemeine Baumaschinen-Gesellschaft mbH
Kuhbrückenstrasse 18 · D-31785 Hameln · Germany
E-mail ir-abg_info@eu.irco.com · www.ir-abg.com
tel. +49 (0) 5151-209 0 · fax +49 (0) 5151-209 204

© 2006 Ingersoll-Rand Form #06 · 0206 CPN 80626039