
# EC60D

Volvo Compact Excavators 5.58 t 36.5 kW







## A machine you can rely on

Volvo's EC60D high quality compact excavator is designed to work harder for longer. Using high quality components and Volvo design, the machine is built to last while delivering a superior performance and high fuel efficiency. You can rely on a solid investment in the durable EC60D, benefiting from increased uptime and a highly competitive residual value.

#### Smooth control

Achieve a smooth and comfortable operating experience with the EC60D. You can dig, swing, load and lift with increased controllability, for enhanced productivity and reduced fatigue. The machine does exactly what the operator intends with responsive controls and an optimized hydraulic system to achieve precise grading results for a high quality finish.



#### Proven reliability

Rely on increased uptime and a highly competitive residual value with the durable EC60 D. The robust design of the EC60 D incorporates the wrapped-around counterweight to shield the engine compartment, X-shaped undercarriage and heavy-duty arm, to enable a sturdy operation in extreme conditions. Maximum uptime is preserved thanks to easy-access maintenance points, and the new, easy-to-clean single layer cooling system.



#### A profitable operation

Reduce fuel costs with the EC60D for a more profitable operation. The state-of-the-art hydraulic system is perfectly matched to Volvo's premium Tier 3 engine to deliver high performance and superior fuel efficiency.



#### Complete comfort and convenience


For comfortable operation and reduced operator fatigue, the EC60D cab offers a spacious and quiet working environment. Built for maximum convenience, the cab features ergonomically located monitor and controls, a fully adjustable seat, and a semi-long joystick. Performance of the air conditioning has been increased by 10% to ensure comfortable operation in all climates.





# POWER To Perform

Do more in less time with market-leading power, outstanding combined digging efforts and faster digging equipment speed of the EC60D. Tackle challenging job sites with ease thanks to the superior traction, swing force and lifting capacity. For the ultimate combination of power and productivity, improved cooling ensures optimized performance for any climate.



# ROBUST ATTACHMENTS TO MATCH

Well-engineered and built to last in tough conditions, Volvo's robust, high quality buckets and hydraulic breakers offer high durability and performance. Specifically made for your Volvo machine, the buckets are reinforced with Volvo teeth and wear parts for longer life, and the range of breaker tools has been developed to break any kind of material with excellent performance.

## The complete solution

We're committed to providing a complete solution to guarantee the highest performance from your Volvo machine, including high quality attachments and state-of-the-art support through our customer solutions. Take advantage of our unique dealer support network to ensure your machine achieves maximum uptime, and generates maximum profit and growth for your business.

#### **Customer Support Agreements**

Customer Support Agreements offer service and maintenance with controlled costs and maximum uptime. The flexible system caters for a range of needs from total repair and maintenance to an inspection program covering vital parts and functions.



#### Genuine Volvo Parts

Volvo Service Technicians work with industry-leading diagnostic tools and techniques, using only Genuine Volvo Parts to deliver the highest levels of quality and service. Talk to your local Volvo dealer about how genuine Volvo services can provide the service and maintenance plan that best fits your needs.



#### **Customer support centre**

Customer Support Agreements offer service and maintenance with controlled costs and maximum uptime. The flexible system caters for a range of needs from total repair and maintenance to an inspection program covering vital parts and functions.



## Lasting performance

#### Proven reliability

Volvo conducts rigorous testing in the development stages resulting in a durable machine that won't let you down.

#### Smooth control

Increased controllability ensures smooth operation, improved productivity, and a high quality finish.

#### Grease can holder

Free up room in the cab with the conveniently-positioned grease can storage to allow for quick periodic greasing.

#### A profitable operation

The hydraulic system is perfectly matched to Volvo's premium engine to deliver high performance and fuel efficiency.



#### Complete comfort and convenience

The spacious and ergonomic EC60D cab ensures a comfortable and productive operation as well as reducing operator fatigue.

### **ROBUST ATTACHMENTS TO MATCH**

High quality buckets and hydraulic breakers are specifically made for your Volvo machines to secure high durability.

### **POWER TO PERFORM**

Do more in less time with marketleading power and outstanding combined digging power and speed of the EC60D.

#### Single layer cooling unit

The single layer cooling unit maximizes efficiency, reduces blockages and aids cleaning.



#### New D-Series styling

The new Volvo D-series styling offers a unique look to differentiate from competitors' designs and previous generations.

### Improved air conditioning

Volvo's industryleading climate control system provides a more comfortable and productive working environment.

#### **Customer Support Agreements**

Covering a variety of service and maintenance needs, Customer Support Agreements control costs and maximize uptime.

#### X-shaped undercarriage

Durable and strong X-shape undercarriage ensures superior stability and increases machine lifetime.

## **Specifications**

EC60D		
Engine		D2.6A
Gross power	kW	36.5
Net power	kW	34.5
at engine speed	r/min	2 000
Operating weight	kg	5 580
Operating weight - canopy version	kg	-
Bucket capacity	m³	0.23
Travel speed	km/h	2.6 / 4.3
Slewing speed	r/min	9
Breakout force	kN	42.3
Tear out force (arm breakout force)	kN	28.5
Overall width	mm	1940
Overall length	mm	5 885
Main hydraulic pump max. flow	l/min	142.4
Boom swing angle, left / right	0	-

Breakout force and tearout force according to ISO.

