
DEMOLITION

Volvo Construction Equipment



A passion for performance

At Volvo Construction Equipment, we're not just coming along for the ride. Developing products and services that raise productivity – we are confident we can lower costs and increase profits for customers around the globe. Part of the Volvo Group, we are passionate about innovative solutions to help you work smarter – not harder.

Helping you to do more

Doing more with less is a trademark of Volvo Construction Equipment. High productivity has long been married to low energy consumption, ease of use and durability. When it comes to lowering life-cycle costs, Volvo is in a class of its own.

Designed to fit your needs

There is a lot riding on creating solutions that are suited to the particular needs of different industry applications. Innovation often involves high technology – but it doesn't always have to. Some of our best ideas have been simple, based on a clear and deep understanding of our customers' working lives.





You learn a lot in 180 years

Over the years, Volvo has advanced solutions that have revolutionized the use of construction equipment. No other name speaks Safety louder than Volvo. Protecting operators, those around them and minimizing our environmental impact are traditional values that continue to shape our product design philosophy.

We're on your side

We back the Volvo brand with the best people. Volvo is truly a global enterprise, one that is on standby to support customers quickly and efficiently – wherever they are.

We have a passion for performance.

A strong, dedicated, capable dealer network

Our dealers are strategically located throughout North America to provide the equipment you need and the parts and service support you demand for a productive and profitable operation. The strength of our dealer network is enhanced with extensive individualized product support training at our best-in-class Customer Center in Shippensburg and through hands-on training. Using a great Product Demonstration Center featuring a dedicated area for most commons applications, visitors operate equipment from our entire product line under a variety of simulated working conditions. This facility is in year-round use by our dealers and customers.

Building the best starts right here.

The products designed and manufactured by Volvo Construction Equipment have their beginnings at the most advanced Research & Design centers in the industry. Volvo CE machines are designed in 11 R&D centers and produced in 15 manufacturing facilities across the world.

The major R&D center and manufacturing plant in the Americas is located in Shippensburg, Pennsylvania. This facility has been in operation for over 30 years and — with its recently added 200,000 sq. ft. expansion — now covers 570,000 sq. ft. on an 80 acre campus. Dedicated work teams and highly advanced technologies and techniques using the Volvo Production System ensure continuous quality improvements, labor savings and cost control to reach the high quality that our customers have come to expect from Volvo.

































Volvo Financial Services

UD Trucks

Volvo Buses

Volvo Construction Equipment

Safe and sound

Volvo high reach excavators are built to ensure maximum safety in all demolition applications. A sturdy frame and cab offer ultimate protection against the falling debris that is common in demolition projects, and a wide, clear view of the jobsite provides excellent visibility for enhanced safety.

Rear-view and side-view cameras

Offering the driver a complete view of the jobsite, rear- and sideview cameras ensure the machine is operated safely at all times.



Cradles, working platform and rails

Cradles, working platforms and rails increases safety when assembly or disassembly is taking place for switching applications, in transportation and when carrying out maintenance.



LEXAN window on roof with washer/wiper system

A roof LEXAN window protects the operator underneath from falling objects for increased safety and upwards visibility. The window can be washed by a washer and wiper system that can be operated by a front window switch.



Total moment indicator

For ultimate safety in demanding operations, a Total moment indicator warns the operator if the machine approaches the maximum safe working load.





FRAME-MOUNTED FALLING OBJECT GUARD (FOG)

A frame-mounted Falling Object Guard ensures safety when there is a greater risk of the cab being struck by falling debris. The wide open-able front guard facilitates cleaning.



INCREASED TOOL WEIGHT AND PIN HEIGHT

For better productivity the machine's structure and hydraulic system have been optimized to carry heavier attachments, giving you more value for money. The maximum pin height has been increased to widen your working range and maximize productivity.

Bringing down the house

The EC380EHR, EC480EHR and EC750EHR are equipped with the latest innovations to increase your productivity. These machines are designed to make your working day worth more, and a robust structure, heavy tool weight and outstanding hydraulics ensure a strong performance in even the toughest of demolition projects.


Volvo's unique initial set up solution

Easy unloading, hydraulic track extension and Volvo's quick boom assembly system take all the heavy lifting out of getting these machines work ready. Full commissioning is a quick job-mostly from the comfort and safety of the cab.




Stable undercarriage designed for demolition

The stable undercarriage designed for demolition has improved working range across all 360° positions, for less repositioning of the machine to maximize production efficiency. For easy operation, the extendable undercarriage allows the operator to effortlessly retract the undercarriage for transportation and expand it for ultimate stability when arriving at the worksite.



Water spray system

Volvo offers a complete dust suppression solution with a 30 lpm (7.9 gpm) hydraulic lifting pump, which can eliminate the need of a separate truck for pumping water. Four nozzles, two on each side of the arm, provides a fine mist that encapsulates the dust and the system can also be used for cleaning the machine with the high pressure water gun mounted behind the cab.





Reach for the sky

Knock demolition down to size with the boom extension, engineered to offer more options and reach for Volvo excavators and high reach excavators. The boom extension can be installed with digging front for higher pin height. This configuration can be used either straight position or bent position.



Heavy-duty demolition

Volvo CE is dedicated to producing the ultimate in heavy-duty demolition machinery. Purpose-built to suit the needs of this demanding task, these high reach excavators are equipped with robust components and a powerful engine to ensure you can keep working shift after shift.

Heavy-duty protection

Heavy duty protection options give more protection to the machine, keeping it in good condition for longer. A range of durable and robust components and parts can be added for machine longevity and performance.



Robust frame, boom and arm

The robust frame, heavy-duty boom and arm increases reliability and machine uptime, even in severe applications. Steel strips are welded under the arm to further increase protection and various boom and arm configurations are available.



Service Network

Volvo's team of experts is always ready to help using local knowledge and global experience. With our extensive infrastructure of technicians, workshops and dealers, Volvo CE has a comprehensive network to fully support you at all times.



Volvo D13 and D16 Tier 4 final engine

The latest generation Volvo Tier 4 final engine fully meets the demands of the latest emissions regulations. Featuring Volvo Advanced Combustion Technology (V-ACT), this engine is designed to deliver superior performance and fuel efficiency. The engine uses precise, high pressure fuel injectors, turbo charger, an air-to-air intercooler and electronic engine controls to optimize machine performance.





PURPOSE BUILT FOR DEMOLITION

The Volvo-designed high-reach demolition machines are produced in Volvo's industry-leading manufacturing facilities and are fully supported by Volvo's global service and spare parts network –increasing machine uptime.

Built to demolish

Hands on tilt

The hands-on tilt function, allows the operator to focus on getting the work done, increasing productivity and operator comfort.

Safe cradles with working platforms and rails

Cradles, working platforms and rails increases safety when assembly or disassembly is taking place.

Maximize productivity

Fitting the Volvo demolition machines with the extension and the digging boom increases the versatility and productivity.

Modular Boom Solution


The hydraulic modular joint uses a hydraulic lock mechanism to release digging equipment and change to high reach configuration.

Total Moment Indicator

A total moment indicator warns the operator if the machine approaches the maximum safe working load.

Straight and bent boom

Easy to change from the Ultra High Reach boom and arm to a digging boom which has a straight position and bent position.




Heavy-duty protection

Heavy duty protection options give more protection to the machine, keeping it in good condition for longer

Dust Suppression

Four nozzles located on the arm provides a fine mist that encapsulates the dust and can clean your machine.



VOLVO CARE CAB

The Volvo high visibility cab — designed specifically for high reach demolition — ensures higher productivity. The high comfort cab features conveniently positioned controls and in-cab LCD display for enhanced ease of operation. For increased safety, our Volvo Care Cab is equipped with 12.3 mm safety front glass and right-hand laminated glass..

A vision for demolition

These high reach excavators are equipped with a Volvo cab that has been designed to offer industry-leading levels of comfort. A high visibility cab and carefully placed cameras ensure operators have a clear view of the jobsite at all times, for the ultimate safe, productive working environment.


Hands on tilt

The hands-on tilt function, allows the operator to focus on getting the work done, increasing productivity and operator comfort. With buttons on in the joysticks, the operator can easily adjust the angle of the tilting cab, without removing their hands from the joysticks and securing an unobstructed view of the working area.

Front-end camera and monitor

Two demolition arm mounted cameras displayed on an 8 inch monitor give a thorough view of the attachment, which helps efficient and safe operation. The operator can toggle between the views of the cameras from the instrument panel.






Controls and switches

For ultimate operator comfort, the Volvo cab features ergonomically placed controls and switches for easy operation, as well as a shock-absorbent air suspension seat. Operators are able to view machine operation controls via the newly enlarged 8" LCD monitor, perfectly positioned for high-reach applications.

Air pressure supply in cabin

Volvo now offers a unique air pressure supply. The compressed air is available in the cabin so that various purpose aftermarket tool kits shall work with the air port.






A versatile demolition addition

These Volvo high reach excavators are a versatile addition to your demolition fleet. Compatible with a wide range of Volvo attachments and built to work both a variety of boom types, these machines are the ideal partner for all demolition projects.

Auxiliary hydraulics and dedicated drain lines

To achieve the correct flow and superior pressure for hydraulic attachments such as mowers, grinders, shears, crushers and tilt rotators, the machine can be factory fitted with a wide variety of hydraulic lines, using breaker and shear piping as well as rotator piping for an improved working environment.



Attachments Management System

monitor – stores the settings for up to 20 different hydraulic attachments for ease of operation. Depending on the hydraulic options configured, the management system can store flow. maximum pressure, one or two- way flow, push, toggle and/or proportional control. The system offers password protection, whereby only approved personnel can set up or alter the attachment parameter settings.

The attachment management system – controlled through the






Straight & bent boom

An innovative design makes it easy to change from the Ultra High Reach boom and arm to a bent boom or a straight boom, so your excavator will stay busy even when you don't have highreach projects.

Volvo Quick Couplers

Volvo offers a full range of quick couplers, including its dedicated S-type coupler, that are perfectly matched to Volvo's bucket range to ensure high break-out forces at all times. The Volvo universal quick coupler picks up a variety of attachments from various manufacturers. All Volvo quick couplers meet the latest safety regulations.







VOLVO PATENTED MODULAR BOOM SYSTEM

For ultimate versatility, the innovative hydraulic modular joint uses a hydraulic lock mechanism to release digging equipment and change from high reach demolition boom to a standard configuration.

Ultimate demolition

Side impact protection

The bolt-on side impact protection system protects the superstructure from damage.

Heavy-duty protection

Heavy duty protection options give more protection to the machine, keeping it in good condition for longer.

Falling object guard

A frame-mounted falling object guard protects the operator and cab from falling debris, enhancing safety and machine uptime.

Swing-ring protection

Swing-ring protection guard protects the swing ring bearing seal and grease piping from damage by rebar, timber or other debris



Attachment management

The password protected attachment management system stores settings for up to 20 different hydraulic attachments.

Cylinder guards

Steal bucket and boom cylinder guards protect rods, cylinders, ${\sf HRVs}$ and piping from falling objects.

Auxiliary hydraulics and dedicated drain lines

The machine can be factory fitted with a wide variety of hydraulic lines, using breaker and shear piping as well as rotator piping.

Track-chain guards

Full-length track-chain guards keep out demolition debris and prevent rebar and other sharp objects from lodging in the tracks.



Cooling fan

The hydraulically-driven, electronically controlled cooling features a reversible functionality to enable self-cleaning of the cooling units.

Micro-mesh screen

A micro-mesh screen on the doors and engine cowl keeps out particles and boosts engine performance.

Double-thickness side doors

Double-thickness side doors on both sides of the superstructure protect coolers and pumps in the event of a side impact.

Diesel Exhaust Fluid (DEF)

Volvo offers a total DEF solution that is quality assured, cost efficient and easily accessible. Contact your Volvo dealer for more information.

Cleaning air gun

Volvo now offers a unique, optional air compressor system, which can be used to clean the cab whenever necessary.


Note: Some features not available on all excavators.


Please contact your dealer for details.

Demolition, recycling and waste applications

Presenting a full range of:

Crawler Excavators, Wheeled Excavators, Wheel Loaders, and Volvo Services for superior operator safety, performance and controllability in demolition, recycling and waste applications.







Not all products are available in all markets. Under our policy of continuous improvement, we reserve the right to change specifications and design without prior notice. The illustrations do not necessarily show the standard version of the machine.

